## **Data Dictionary for TreeMap Separated Attribute Rasters**

Attribute definitions and data sources of TreeMap 2016 separated attribute rasters. All fields derived from FIA tables unless otherwise noted. Variable section references correspond to <a href="FIA database">FIA database</a> documentation (Burrill et al. 2018).

Column name	Description	Source (table/column/query); Sec = FIADB manual section
FORTYPCD	This is the forest type used for reporting purposes. It is primarily derived using a computer algorithm, except when less than 25 percent of the plot samples a particular forest condition or in a few other cases. See Appendix D of the <u>FIA database documentation</u> for a table of values.	From COND.FORTYPCD (Sec. 2.4.16)
FLDTYPCD	A code indicating the forest type, assigned by the field crew, based on the tree species or species groups forming a plurality of all live stocking. The field crew assesses the forest type based on the acre of forest land around the plot, in addition to the species sampled on the condition. See Appendix D of the <a href="FIA database documentation">FIA database documentation</a> for a table of values.	From COND.FLDTYPCD (Sec. 2.4.17)
STDSZCD	A classification of the predominant (based on stocking) diameter class of live trees within the condition assigned using an algorithm.	From COND.STDSZCD (Sec. 2.4.20)
	<ul> <li>Code Description         <ul> <li>Large diameter - Stands with an all live stocking value of at least 10 (base 100); with more than 50 percent of the stocking in medium and large diameter trees; and with the stocking of large diameter trees equal to or greater than the stocking of medium diameter trees.</li> </ul> </li> <li>Medium diameter - Stands with an all live stocking value of at least 10 (base 100); with more than 50 percent of the stocking in medium and large diameter trees; and with the stocking of large diameter trees less than the stocking of medium diameter trees.</li> <li>Small diameter - Stands with an all live stocking value of at least 10 (base 100) on which at least 50 percent of the stocking is in small diameter trees.</li> <li>Nonstocked - Forest land with all live stocking value less than 10.</li> </ul>	

FLDSZCD		signed classification of the predominant (based on stocking) r class of live trees within the condition.	From COND.FLDSZCD (Sec. 2.4.21)
	Code	Description	
	0	Nonstocked - Meeting the definition of accessible land and one of the following applies (1) less than 10 percent stocked by trees, seedlings, and saplings and not classified as cover trees, or (2) for several woodland species where	
		stocking standards are not available, less than 10 percent canopy cover of trees, seedlings, and saplings.	
	1	≤4.9 inches (seedlings/saplings). At least 10 percent stocking (or 10 percent canopy cover if stocking standards are not available) in trees, seedlings, and saplings, and at least 2/3 of the canopy cover is in trees less than 5.0 inches d.b.h./d.r.c.	
	2	5.0-8.9 inches (softwoods)/ 5.0-10.9 inches (hardwoods). At least 10 percent stocking (or 10 percent canopy cover if stocking standards are not available) in trees, seedlings, and saplings; and at least one-third of the canopy cover is in trees greater than 5.0 inches d.b.h./d.r.c. and the plurality of the canopy cover is in softwoods 5.0-8.9 inches diameter and/or hardwoods 5.0-10.9 inches d.b.h., and/or woodland trees 5.0-8.9 inches d.r.c.	
	3	9.0-19.9 inches (softwoods)/ 11.0-19.9 inches (hardwoods). At least 10 percent stocking (or 10 percent canopy cover if stocking standards are not available) in trees, seedlings, and sapling; and at least one-third of the canopy cover is in trees greater than 5.0 inches d.b.h./d.r.c. and the plurality of the canopy cover is in softwoods 9.0-19.9 inches diameter and/or hardwoods between 11.0-19.9 inches	
	4	d.b.h., and/or woodland trees 9.0-19.9 inches d.r.c.  20.0-39.9 inches. At least 10 percent stocking (or 10 percent canopy cover if stocking standards are not available) in trees, seedlings, and saplings; and at least one-third of the canopy cover is in trees greater than 5.0 inches d.b.h./d.r.c. and the plurality of the canopy cover is in trees 20.0-39.9 inches d.b.h.	
	5	40.0+ inches. At least 10 percent stocking (or 10 percent canopy cover if stocking standards are not available) in trees, seedlings, and saplings; and at least one-third of the canopy cover is in trees greater than 5.0 inches d.b.h./d.r.c. and the plurality of the canopy cover is in trees greater than or equal to 40.0 inches d.b.h.	
		than or equal to 40.0 inches d.b.h.	

BALIVE	Basal area in square feet per acre of all live trees greater than or equal to 1.0 inch d.b.h./d.r.c. sampled in the condition.	From COND.BALIVE (Sec. 2.4.51)
CANOPYPCT	Live canopy cover percent derived from the Forest Vegetation Simulator.	From Forest Vegetation Simulator
STANDHT	Height of dominant trees, in feet, derived from the Forest Vegetation Simulator.	From Forest Vegetation Simulator
ALSTK - All Live Tree Stocking (%)	The sum of stocking percent values of all live trees on the condition.	From COND.ALSTK (Sec. 2.4.53)
GSSTK	The sum of stocking percent values of all growing-stock trees on the condition.	From COND.GSSTK (Sec. 2.4.54)
QMD_RMRS	Stand density index maximum, Rocky Mountain Research Station. The quadratic mean diameter, or the diameter of the tree of average basal area, on the condition. Based on live trees greater than or equal to 1.0 inch d.b.h./d.r.c.	From COND.QMD_RMRS (Sec. 2.4.136)
SDIPCT_RMR	Stand density index percent, Rocky Mountain Research Station. A relative measure of stand density for live trees (greater than or equal to 1.0 inch d.b.h./d.r.c.) on the condition, expressed as a percentage of the maximum stand density index (SDI).	From COND.SDIPCT_RMR (Sec. 2.4.139)
TPA_LIVE	Number of live trees per acre	Query; Sum TREE.TPA_UNADJ WHERE (((COND.COND_STATUS_CD)=1 ) AND ((TREE.STATUSCD)=1) AND ((TREE.DIA)>=1))
TPA_DEAD	Number of standing dead trees per acre (DIA >5")	Query; Sum TREE.TPA_UNADJ WHERE (((COND.COND_STATUS_CD)=1 ) AND ((TREE.STATUSCD)=2) AND ((TREE.DIA)>=5) AND ((TREE.STANDING_DEAD_CD)= 1))
VOLCFNET_L	Volume, live, cubic feet per acre	Query Sum VOLCFNET*TPA_UNADJ WHERE (((COND.COND_STATUS_CD)=1 ) AND ((TREE.STATUSCD)=1))
VOLCFNET_D	Volume, standing dead, cubic feet per acre	Query Sum  VOLCFNET*TPA_UNADJ WHERE  (((COND.COND_STATUS_CD)=1 ) AND ((TREE.STATUSCD)=2)  AND ((TREE.DIA)>=5) AND  ((TREE.STANDING_DEAD_CD)= 1))
VOLBFNET_L	Volume, live, sawlog board feet per acre (log rule: Int'l ¼ inch)	Query Sum VOLBFNET * TPA_UNADJ WHERE (((TREE.TREECLCD)=2) AND

		((COND.COND_STATUS_CD)=1) AND ((TREE.STATUSCD)=1))
DRYBIO_L	Dry live tree biomass, above ground (tons per acre)	Query; Sum (DRYBIO_BOLE, DRYBIO_TOP, DRYBIO_STUMP, DRYBIO_SAPLING, DRYBIO_WDLD_SPP) /2000*TPA_UNADJ WHERE (((COND.COND_STATUS_CD)=1 ) AND ((TREE.STATUSCD)=1))
DRYBIO_D	Dry standing dead tree biomass, above ground (tons per acre)	Query; Sum (DRYBIO_BOLE, DRYBIO_TOP, DRYBIO_STUMP, DRYBIO_SAPLING, DRYBIO_WDLD_SPP) /2000*TPA_UNADJ WHERE (((COND.COND_STATUS_CD)=1 ) AND ((TREE.STATUSCD)=2) AND ((TREE.DIA)>=5) AND ((TREE.STANDING_DEAD_CD)= 1))
CARBON_L	Carbon, live above ground (tons per acre)	Query; Sum (DRYBIO_BOLE, DRYBIO_TOP, DRYBIO_STUMP, DRYBIO_SAPLING, DRYBIO_WDLD_SPP) / 2 /2000*TPA_UNADJ WHERE (((COND.COND_STATUS_CD)=1 ) AND ((TREE.STATUSCD)=1))
CARBON_D	Carbon, standing dead (tons per acre)	Query; Sum (DRYBIO_BOLE, DRYBIO_TOP, DRYBIO_STUMP, DRYBIO_SAPLING, DRYBIO_WDLD_SPP) / 2 /2000*TPA_UNADJ WHERE (((COND.COND_STATUS_CD)=1 ) AND ((TREE.STATUSCD)=2) AND ((TREE.DIA)>=5) AND ((TREE.STANDING_DEAD_CD)=1))
CARBON_DW N	Carbon (tons per acre) of woody material greater than 3 inches in diameter on the ground, and stumps and their roots greater than 3 inches in diameter. Estimated from models based on geographic area, forest type, and live tree carbon density (Smith and Heath 2008).	From COND. CARBON_DOWN_DEAD (Sec. 2.4.67)

## References

Burrill, Elizabeth A., Andrea M. Wilson, Jeffrey A. Turner, Scott A. Pugh, James Menlove, Glenn Christiansen, Barbara L. Conkling, and Winne David. 2018. "The Forest Inventory and Analysis Database: Database Description and User Guide Version 8.0 for Phase 2." [Online].

https://www.fia.fs.usda.gov/library/database-

documentation/current/ver80/FIADB%20User%20Guide%20P2\_8-0.pdf